Work Orde		36		*(9458	6 *						Page 1	
Item ID: Revision ID: Item Name:	D3025-1 Beam	-		Accept	*	N900	040	100)* s	etup Star	IV	S1* S2*	Ξ
Start Date: Required Date: Reference:		Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*			Cust Item I Customer:	D:			١.	1.4		
Approvals:	Process Plan: QC:	A A	Date/3-0/-2 Date:				ate:		R	tun Star Stop		R1* R2*	C
Sequence ID/ Work Center II		Operation Description		Set U _I Run H		Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp	
Draw Nbr		on Nbr											
D3025	В												
100 *100* Waterjet FLOW CNC Waterje 2024、08	et .	LOW WATER JET Memo 1-Cut as po Dwg Rev: Prog Rev: 2-Deburr i	3	0.00						٥		<u>Jr</u> 13-5	2.8
*110 *110* QC Quality Control	•	QC2- Inspect parts off	machine FAI/FAIB	0.00	0				1	<u> </u>		<i>Im</i> 13-2	l -8
120 *120* QC Quality Control		QC8- Inspect parts - se Memo	cond check	0.00	SM? B. 2-8								

												DQA:	Da	ate:	•
NCR:	Yes	/ No				WORK ORDER NON-O	COI	NFORI	MANCE / UP	DATE			_		
												QA Closed:	Da	ate:	
Work Ord	lor.					DISPOSITION				AGAINST [DΕ	PARTMENT,	/PROCESS		
Part						Rework Skid-tube Crosstube Scrap Machining Small Fab Use-as-is Thermoforming Finishing Work Order Update Large Fab Composite				Water Jet Prod. Eng. Coor. Rec/Store/Packaging Supplier			Engineering Quality Other		
Root	_,,				Descri	ption of work order update		Initial	Act	tion		Sign &			
Cause		Date	Step	Qty	(or Non-conformance	Ct	nief Eng	Desci	ription		Date	Verification	วท	QC Inspector
Doc/Data										***					
Equip/Tooling	<u> </u>														
Operator	L														
Material															
Setup							ļ								
Other															
Process	L														
Supplier															
Training										٠					
Unapproved															
						F	AUL	LT CATE	GORY						
Land	ing (Gear				General		_		_					
		Bending				Bend		Grain		Ĺ		Ovalized			Pressure/Forced
		Centre No	ot Concei	ntric to	o/s	BOM/Route		Hardwa	ire			Over/Under	tolerance		Temperature/Cure
		Cracks				Broken/Damaged		Inspecti	ion Incomplete			Part Incorre	ct		Weld
		Crushed/	Crimped.			Burrs		Instruct	tions Incomplete/I	Unclear		Part Lost/Mi	ssing		Wrong Stock Pulled
Cuffs Contamination					Maintenance			Part Moved							
F				Countersink		Mislabeled				Positioned V	Vrong				

Misread

Out of Calibration

Out of Sequence

Outside Dimensions

Offset

Power Loss/Surge

Other

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Inspection Strip in Tube

Torque Waves in Extrusion

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Order ID 94586 December-19-12 12:57:41 PM				*9458		Page 2					
tem ID: Revision ID: tem Name:	D3025-1 Beam			Accept	*N90004010)*	Setup Stai	14	S1* S2*
Start Date: Required Date: Reference:	12/19/12	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item I Customer:	D:					. 12
Approvals:	Process Pla	n:	Date:	Tooling:	Da	ate:	_]	Run Sta	17	R1*
						ate:			Sto	*N	R2*
Sequence ID/ Work Center II	D	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
*130		Bend as per dwg NC BRAKE		0.00				j			SB 13/021
Brake NC Brake NC		Мето		0.00				-{			
131		QC5- Inspect part compl	eteness to step on W/O	0.00 <hb></hb>				1			
131 QC Quality Control		Memo		0.00 B 2 3	J			J	<u></u>		

140

Chemical Conversion Coat per QSI005 4.1

0.00

140 HandFinish

0.00

Hand Finishing

1 7/6 13-2-25

Memo

											DQA:	Date:	· · · · · · · · · · · · · · · · · · ·
NCR:	Yes	/ No				WORK ORDER NON-O	COI	NFORM	/ANCE / UP	DATE			
											QA Closed	Date:	
Work Ord	er.					DISPOSITION				AGAINST DI	PARTMENT	/PROCESS	
Part I						Rework Scrap Use-as-is Work Order Update	Scrap Machining S Use-as-is Thermoforming S Work Order Update Large Fab Co			Crosstube Small Fab Finishing Composite	Pro Rec/Sto	Engineering Quality Other	
Root					Descri	ption of work order update		Initial	Ac	tion	Sign &		
Cause		Date	Step	Qty		or Non-conformance	Cr	nief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
							AUI	T CATE	GORY				
Landi		Bending Centre No Cracks Crushed/ Cuffs Heat Trea Inspection	Crimped at n Strip in		O/S	General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short		Instruct Mainte Mislabe Misread	ori Incomplete ions Incomplete/ nance led	Unclear	Ovalized Over/Under Part Incorre Part Lost/M Part Moved Positioned Power Loss	ct issing Wrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
	1 1	Ripples in	rena		- 1	Drill Holes	l	Offset					

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

0.00

Memo

QC

Quality Control

MF 3-25

Page 3

												DQA	۸: Da	ite:	· · · · · · · · · · · · · · · · · · ·
NCR:	Yes	/ No				WORK ORDER NON-O	COI	NFORM	MANCE /	UPD	ATE				
												QA Closed	d: Da	ite:	
Work Ord	lor:					DISPOSITION					AGAINST DE	PARTMEN	T/PROCESS		
Part					Scrap Machining Small Fab Use-as-is Thermoforming Finishing			Crosstube Small Fab Finishing Composite	Pr Rec/St	Engineering Quality Other					
Root					Descri	ption of work order update	П	Initial		Actio	on	Sign &			
Cause		Date	Step	Qty		or Non-conformance	Ch	nief Eng	. [Descri	ption	Date	Verification	on	QC Inspector
Doc/Data															
Equip/Tooling															
Operator															
Material															
Setup															
Other															
Process	П								•						
Supplier	П														
Training															
Unapproved															:
						F	AUL	T CATE	GCIRY						
Land	ing (Gear				General		_				_			
		Bending				Bend		Grain				Ovalized		L	Pressure/Forced
		Centre No	ot Conce	ntric to	o/s	BOM/Route		Hardwa	re			Over/Und	er tolerance		Temperature/Cure
j		Cracks				Broken/Damaged		Inspecti	or Incomple	te		Part Incor	rect		Weld
		Crushed/	Crimped.			Burrs		Instruct	ions Incomp	lete/U	nclear	Part Lost/	Missing		Wrong Stock Pulled
Cuffs Contamination					Maintenance			Part Moved							
				Countersink		Mislabeled				Positioned Wrong					

Misread

Out of Calibration

Out of Sequence

Outside Dimensions

Offset

Power Loss/Surge

Other

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Picklist Print

December-19-12 12:57:40 PM

Work Order ID:

94586

Parent Item:

D3025-1

Parent Item Name:

Beam

Start Date: 12/19/12

Required Date: 1/11/13

Page 1

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP C01.10.26Added Bending as per Drawing. SM THIKNESS CHG DD VERF:EC

IPP REV:D 11.05.16 MAT'L

0 11 10/	THINNESS CHO				T 4			Ot	O+				Chahua
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M2024T3S.080 2024-T3 .080 sheet		Purchased	No			100	sf	412.9400	0.75	0.789473 7			<i>J</i> mB
				Location		Loc Qty	<u>Lo</u>	c Code					

Location .	Loc Qty	Loc Code	
MAT022	412.94		
105411	12		
109424	8		
113796	10		
114025	3.4		
117392	38.2		
118180	54		
119117	41.4		
120989	79.34		
123217	166.6		123217

NCR:	Yes	/	No	
		,		

DQA: _____ Date: ______

NCR: Y	es / No				WORK ORDER NON-	CONI	FORN	MANCE / UP	DATE			
										QA Closed:	Date	:
Work Orde	r:				DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part N	0.				Rework Scrap		N	Skid-tube Machining	Crosstube Small Fab	4	Water Jet d. Eng. Coor.	Engineering Quality
NCR N	o				Use-as-is Work Order Update			noforming Large Fab	Finishing Composite	Rec/Stoi	re/Packaging Supplier	Other
Root				Descri	iption of work order update	Ini	itial	Ac	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chie	ef Eng	Desc	cription	Date	Verification	QC Inspector
Doc/Data												
quip/Tooling								I				
Operator								ŀ				
Material								İ				
Setup								}				
Other				,				1				
Process												
Supplier		1										
Fraining												
Jnapproved		<u> </u>										
						FAULT	CATE	3C)RY				
Landin	g Gear				General				_	7	<u></u>	_
ļ.	Bending				Bend	 	Grain		<u> </u>	Ovalized	<u>_</u>	Pressure/Forced
	Centre No	ot Conce	ntric to	O/S	BOM/Route	\vdash	lardwai		_	Over/Under	— <u> </u>	Temperature/Cure
	Cracks			<u></u>	Broken/Damaged	\vdash		on Incomplete		Part Incorre	<u> </u>	Weld
	Crushed/	Crimped.			Burrs	_		ions Incomplete	/Unclear	Part Lost/Mi	issing	Wrong Stock Pulled
	Cuffs			_	Contamination	Ш١	√lainte	nance		Part Moved		
	Heat Trea	at			Countersink	Ш∿	∕islabe	led		Positioned V	Vrong	_
1	Inspectio		Tube		Cut Too Short	—	∕Iisread	ł		Power Loss/	Surge	Other
	Ripples in				Drill Holes	\vdash	Offset					
	Torque W	/aves in E	extrusio	n L	Drawing		of C	Calibration				
	Turning S	equence			Finish		of S	Sequence				
	Wave/Tw	ist in Tub	oe		Folio)utside	Dimensions				


DART AEROSPACE LTD	Work Order:	94586
Description: Beam	Part Number:	D3025-1
Inspection Dwg: D3025 Rev: B		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of inspection	Comments
Ø0.098	+0.004/-0.001	0.098-	-		V	Jhmui
0.25	+/-0.030	0.2547			V	
5.78	+/-0.030	5.776"	_		J	
3.00	+/-0.030	3.005	-		V	
2.395	+/-0.010	2.399"			V	
1.385	+/-0.010	1.390"	_		V	
0.375	+/-0.010	0.378"	_		V	
2.332	+/-0.010	2.335	_		V	
4.365	+/-0.010	4.369			V	
4.68	+/-0.030	4.676			V	
6.92	+/-0.030	6.925			U	
7.235	+/-0.010	7.233"			U	
9.470	+/-0.010	91.478	_		V	
10.587	+/-0.010	10.590	-		V	Produter
11.705	,+/-0.010	11.710			ν	
13.940	+/-0.010	13.940	^		T	Jemi 6
15.057	+/-0.010	15.057	_		7	
16.175	+/-0.010	16.175	_		T	
18.75	+/-0.030	18.35	_		_ T	
0.080	+/-0.010	0.036	_		<u> </u>	

Measured by: J ← ✓	Audited by: $\leq m$	Preliminary Approval:
Date: 13-2-8	Date: 13.28	Date:

Rev	Date	Change	Revised by	Approved
A	05.04.26	New Issue P/O D350-689-013	KJ/JLM J	111
В		Dimensions updated per Dwg Rev B	KJ 49/14	
L	· 		11)	. / /



8 D D 16.175 10.587 15.057 7.235 6.92 2.332 Ø0.098 TYP 0.00 -0.375 С GRAIN DIRECTION - 1.385 - 1.420 2.395 3.00 R0.13 TYP /B\ BEND LINE 0.65 В R1.12 0.080 **D3025-1F FLAT PATTERN** NOTES: 1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.080 THICK PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 REF DART SPEC M2024T3S.080 DESIGN DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWN RF 2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.67 lbs DRAWING NO. CHECKED REV. B D3025 MFG. APPR. SHEET 2 OF 2 TITLE APPROVED SCALE BEAM DE APPR. NTS COPYRIGHT © 2001 BY DART AEROSPACE LTD

THIS DOCUMENT'S PRIVITE AND CONTRIBUTION OF DAY THE EMPRISE CONTRIBUTION THAT IT IS

NOT TO BE LIGHT FOR ANY PAPPOSE OF COMPANIENT TO JOHN OTHER PERSON WITHOUT
WANTEST PRIVING SOME PROPER OWN TRANSPACE TO. DATE 11.05.11 8